



Certificate Of Analysis

Product Name	Vitamin B3 Niacinamide
--------------	------------------------

INCI Name:	Niacinamide
------------	-------------

Expiry Date:	November 2027
--------------	---------------

Batch Number:	Check product package
---------------	-----------------------

Analytical Test	Specification	Result
Appearance (color)	White crystalline powder	Pass
Particle size	100% through 20 mesh	99.63%
Assay	99.0 - 101%	99.55%
Melting point	128.0 - 131.0°C	128 - 130°C
Heavy metals	Max. 20 PPM	<5 PPM
Arsenic	Max. 3 PPM	Conforms
Cadmium	Max. 1 PPM	Conforms
Lead	Max. 2 PPM	Conforms
Mercury	Max. 0.1 PPM	Conforms
Loss on Drying	Max. 0.50%	0.18%
Residue on Ignition	Max. 0.10%	0.058%
Microbiology:		
Total Plate Count	Max. 1000 CFU/Gram	Conforms
Yeast & Mold	Max 100 CFU/Gram	<10 CFU/gram
Coliforms	Negative	Pass
E.Coli	Negative	Pass
Staph. Aureaus	Negative	Pass
Salmonella	Negative	Pass

The above data were obtained using the test indicated and is subject to the deviation inherent in the test method. Results may vary under other test methods or conditions. This report is not to be signed. All data are as per our supplier.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.